


health & safety performance




LTI frequency ratio




100% coverage Aalberts entities

average days lost per LTI



absenteeism




* without COVID-19 related absenteeism

environmental performance




carbon emissions

(CO₂ in Ktonnes)




energy usage

(in TJ)




electricity consumption

(in TJ)




water use

(in 1,000 m³)



water consumption

(in 1,000 m³)



	2020	2019	2018
CO₂ (scope 1 & 2 in Ktonnes)	270	287	310
electricity	66%	65%	66%
gas	33%	30%	28%
district heating	1%	4%	5%
fuel	0%	1%	1%
energy usage (in TJ)	3,458	3,760	3,865
electricity	53%	52%	53%
gas	45%	40%	39%
district heating	2%	7%	7%
fuel	0%	1%	1%

	2020	2019	2018
electricity consumption (in TJ)	1,826	1,967	2,051
electricity - grey	85%	86%	90%
electricity - renewable	15%	14%	10%
water use (in 1,000 m ³)	1,594	1,904	1,917
water consumption	72%	65%	*
water treated	28%	35%	*
water consumption (in 1,000 m ³)	1,141	1,213	*
drinking water	94%	95%	*
groundwater	5%	4%	*
surface water	1%	1%	*

* not measured at that time